

EAST
007
1-6-06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	9	predicat\$3 near3 (bit execution) with instruction and (reorder near2 buffer)	US-PGPUB; USPAT	OR	ON	2006/01/06 13:35
S1	8	(align\$4 misalign\$4) near3 fault with exception	US-PGPUB; USPAT	OR	ON	2004/09/17 08:37
S2	416	712/227.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/18 08:58
S3	1	"5717909".pn.	US-PGPUB; USPAT	OR	ON	2004/01/06 11:12
S4	12	cofler-and\$.in. wojcieszak-lau\$.in. sename-isab\$.in.	US-PGPUB; USPAT	OR	ON	2004/01/07 14:48
S5	13	712/227.ccls. and (guard predicate)	US-PGPUB; USPAT	OR	ON	2004/01/07 14:54
S6	2	712/227.ccls. and ((break breakpoint break-point) with (stall\$3 hold\$3 held) with decod\$3)	US-PGPUB; USPAT	OR	ON	2004/01/07 14:56
S7	6	((break breakpoint break-point) with (stall\$3 hold\$3 held) with decod\$3)	US-PGPUB; USPAT	OR	ON	2004/01/07 15:12
S8	178	712/43.ccls.	US-PGPUB; USPAT	OR	ON	2004/01/07 15:13
S9	274	712/226.ccls.	US-PGPUB; USPAT	OR	ON	2004/01/07 15:33
S10	208	712/214.ccls.	US-PGPUB; USPAT	OR	ON	2004/01/07 15:13
S11	412	712/215.ccls.	US-PGPUB; USPAT	OR	ON	2004/01/07 15:13
S12	3	712/226.ccls. and (stall\$3 hold\$3 held) near4 decod\$3 near3 stage	US-PGPUB; USPAT	OR	ON	2004/01/07 15:35
S13	18	712/226.ccls. and (predicate guard)	USPAT	OR	ON	2004/01/07 15:57
S14	1	"6324684".pn.	USPAT	OR	ON	2004/01/07 16:16
S15	10	(speculativ\$3 with (issu\$3 execut\$3) with (predicat\$2 guard\$2) with instruction) and stall\$3	USPAT	OR	ON	2004/01/07 16:17
S16	5	(speculativ\$3 with (issu\$3 execut\$3) with (predicat\$2 guard\$2) with instruction) and stall\$3 and (interrupt exception brak breakpoint break-point watch)	USPAT	OR	ON	2004/01/07 16:31
S17	4	(imprecise and precise) with (break breakpoint break-point)	USPAT	OR	ON	2004/01/07 16:34

S18	13	(imprecise and precise) with mode	USPAT	OR	ON	2004/01/08 08:41
S19	0	(imprecise and precise) with watch	USPAT	OR	ON	2004/01/07 16:40
S20	2	precise with watch and g06f\$.ipc.	USPAT	OR	ON	2004/01/07 16:44
S21	15	precise with (watch watchpoint watch-point) and g06f\$.ipc.	USPAT	OR	ON	2004/01/07 16:46
S22	137	(stall\$3 prevent\$3) near3 decod\$3 and precise and g06f\$.ipc.	USPAT	OR	ON	2004/01/07 16:46
S23	77	(debug\$4 emulat\$3) and ((stall\$3 prevent\$3) near3 decod\$3 and precise and g06f\$.ipc.)	USPAT	OR	ON	2004/01/07 16:52
S24	1	"5442757".pn.	USPAT	OR	ON	2004/01/07 16:52
S25	14	speculativ\$3 with (issu\$3 execut\$3) with (guarded predicated) with instruction	USPAT	OR	ON	2004/01/08 09:12
S26	22	speculativ\$3 with mode and (precise imprecise non-precise)	USPAT	OR	ON	2004/01/08 09:16
S27	8	speculativ\$3 with (break breakpoint break-point)	USPAT	OR	ON	2004/01/08 09:16
S28	168	"load unit" and "store unit"	USPAT	OR	OFF	2004/01/08 15:31
S29	0	((("load unit" and "store unit") with separate) same (advantag\$4 benefi\$4)	USPAT	OR	ON	2004/01/08 15:33
S30	24	((("load unit" and "store unit") with separate)	USPAT	OR	ON	2004/01/08 15:33
S31	707	(commit\$4 complet\$2) with instruction with (exception)	US-PGPUB; USPAT	OR	ON	2004/01/12 10:47
S32	1	(commit\$4 complet\$2) with instruction with trigger with exception	US-PGPUB; USPAT	OR	ON	2004/01/12 10:47
S33	93	commit\$4 with instruction with exception	US-PGPUB; USPAT	OR	ON	2004/01/12 11:09
S34	0	(exception interrupt) with instruction with ("not" near2 decod\$3)	US-PGPUB; USPAT	OR	ON	2004/01/12 13:09
S35	610	(is near2 decoded) not (is near1 decoded)	US-PGPUB; USPAT	OR	ON	2004/01/12 13:14
S36	387	((is adj2 decoded) not (is adj1 decoded))	US-PGPUB; USPAT	OR	ON	2004/01/12 13:54
S37	1	((is adj2 decoded) not (is adj1 decoded)) same exception	US-PGPUB; USPAT	OR	ON	2004/01/12 13:15
S38	9	("5442757" "5715440" "5752013" "5754839" "5644703" "5404496" "5430862" "5544311" "5564041").pn. and address	US-PGPUB; USPAT	OR	ON	2004/01/12 14:04

S39	1	("5442757" "5715440" "5752013" "5754839" "5644703" "5404496" "5430862" "5544311" "5564041"). pn. and data near2 break	US-PGPUB; USPAT	OR	ON	2004/01/12 14:04
S40	338	exception with (fault protect\$3 misalign\$4) same refetch\$3 re-fetch\$3	US-PGPUB; USPAT	OR	ON	2004/09/16 11:30
S41	0	exception with (fault protect\$3 misalign\$4) same (refetch\$3 re-fetch\$3)	US-PGPUB; USPAT	OR	ON	2004/09/16 11:32
S42	44	(fault protect\$3 misalign\$4) same (refetch\$3 re-fetch\$3)	US-PGPUB; USPAT	OR	ON	2004/09/16 11:32
S43	35	((page near2 fault) protect\$3 misalign\$4) same (refetch\$3 re-fetch\$3)	US-PGPUB; USPAT	OR	ON	2004/09/16 11:33
S44	16	((page near2 fault) protect\$3 misalign\$4) same (refetch\$3 re-fetch\$3) with instruction	US-PGPUB; USPAT	OR	ON	2004/09/16 11:33
S45	475	(break-point breakpoint break) with (opcode ((program near2 count\$2) PC)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:01
S46	121	(break-point breakpoint break) with (opcode ((program near2 count\$2) PC)) and (precise imprecise non-precise) and g06f\$. ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:01
S47	5	(break-point breakpoint break) with (opcode ((program near2 count\$2) PC)) same (precise imprecise non-precise) and g06f\$. ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:32
S48	3	(break-point breakpoint break) with (opcode ((program near2 count\$2) PC)) same (predicate guard) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:32
S49	5	(\$2precise near2 watch) same (break break-point breakpoint)	US-PGPUB; USPAT	OR	ON	2005/03/18 09:43
S51	22	(break break-point breakpoint) same (preven\$3 near3 execut\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:46
S52	322	(break break-point breakpoint) same ((preven\$3 stop) near3 execut\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:47
S53	2	(break break-point breakpoint) same ((preven\$3 stop) near3 execut\$3) same ((allow\$3 continu\$3 proceed\$3) with execut\$3 with subsequent)and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:49

S54	84	(break break-point breakpoint) same ((preven\$3 stop) near3 execut\$3) same ((allow\$3 continu\$3 proceed\$3) with execut\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:49
S55	153	(break break-point breakpoint) same ((preven\$3 stop\$4 halt\$3) near3 execut\$3) same ((allow\$3 continu\$3 proceed\$3) with execut\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:49
S56	2	(break break-point breakpoint) same ((preven\$3 stop\$4 halt\$3) near3 execut\$3) same ((allow\$3 continu\$3 proceed\$3) with execut\$3 with subsequent) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:50
S57	161	(conditional guarded predicated) near5 (break break-point breakpoint) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:52
S58	100	(conditional guarded predicated) near2 (break break-point breakpoint) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 09:52
S59	123	(break break-point breakpoint) same ((preven\$3 stop\$4 halt\$3) near3 execut\$3) same ((allow\$3 continu\$3 proceed\$3) near3 execut\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:49
S60	103	(break break-point breakpoint) same ((preven\$3 stop\$4 halt\$3) near3 execut\$3) same ((allow\$3 continu\$3 proceed\$3) near2 execut\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:52
S61	247	watchpoint and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:52
S62	0	watchpoint same (guard predicate) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:52
S63	158	watchpoint same (break breakpoint break-point) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:53
S64	147	watchpoint with (break breakpoint break-point) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:53
S65	82	watchpoint with (break breakpoint break-point) same ((halt\$3 prevent\$3 stop\$4) with execut\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:53

S66	9	watchpoint with (break breakpoint break-point) same ((halt\$3 prevent\$3 stop\$4) near3 execut\$3) same ((contin\$3 allow\$3 proceed\$3 finish\$3) near3 execut\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/18 10:54
S67	0	breakpoint with speculative and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/21 16:05
S68	2	(breakpoint break break-point) with speculative and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/21 16:05
S69	15	(watch watch-point watchpoint) with speculative and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/21 16:07
S70	30	(breakpoint break-point) with (allow\$3) with (instruction execution) with (contin\$3 proceed\$3)	US-PGPUB; USPAT	OR	ON	2005/03/22 16:07
S71	0	"precise mode" and "imprecise mode" and (predicate guard) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/22 16:08
S72	4	"precise mode" and "imprecise mode" and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/22 16:08
S73	7	(stop\$4 halt\$4 prevent\$3) near5 (dispatch\$3 issu\$3) near5 (breakpoint break-point watchpoint watch-point) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/23 15:46
S74	62	(stop\$4 halt\$4 prevent\$3) near5 (dispatch\$3 issu\$3) near5 (exception trap) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/23 16:04
S75	15	(stop\$4 halt\$4 prevent\$3) near5 (fetch\$3) near3 (break breakpoint watchpoint) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/23 16:18
S76	2	(fetch\$3) with (break breakpoint watchpoint) near2 address with compar\$4 with (halt\$3 prevent\$3 stop\$4) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/03/23 16:19
S77	0	predicat\$3 and out adj of adj1 order with execut\$3	US-PGPUB; USPAT	OR	ON	2006/01/06 12:00
S78	0	predicat\$3 and ((out with of with order) with execut\$3)	US-PGPUB; USPAT	OR	ON	2006/01/06 12:00
S79	1868	predicat\$3 and (order with execut\$3)	US-PGPUB; USPAT	OR	ON	2006/01/06 12:00
S80	267	predicat\$3 and (out with order with execut\$3)	US-PGPUB; USPAT	OR	ON	2006/01/06 12:01
S81	196	predicat\$3 and (out near3 order near5 execut\$3)	US-PGPUB; USPAT	OR	ON	2006/01/06 12:01
S82	149	predicat\$3 and (out near3 order near3 execut\$3 with instruction)	US-PGPUB; USPAT	OR	ON	2006/01/06 12:02

S83	114	predicate and "out-of-order"	US-PGPUB; USPAT	OR	ON	2006/01/06 12:02
S84	25	predicate near2 bit and "out-of-order"	US-PGPUB; USPAT	OR	ON	2006/01/06 13:35